



## Philosophical Transactions

Please note: Due to an error in the print volume, the page numbering in this article may contain either page numbering skips, or page numbering repetitions, or both. However, the article content is presented in its entirety and in correct reading order.

**Please click on "Next Page" (at the top of the screen) to begin viewing the article.**

V. *An Account of a Book, Entitled,*

**H**ortus Medicus Amstelodamensis, five Plantarum tam Orientalis quam Occidentalis Indiæ aliarumque peregrinarum Descriptio & Icones. Autore Joanne Commelino Urbis Amstelod. (dum viverit) Senatore. Et latinitate donatum, Notis & Observationibus illustratum a Frederico Ruyschio, M. D. Botar. Profess. &c. & Francisco Kiggelario, Amst. 1697. Fol. And to be sold by S. Smith, and B. Walford, in St. Paul's Church-Yard. With many additional Remarks by J.P. Fellow of the Royal Society.

This Work is none of the least Specimens of Modern Magnificence and Improvement in the History of Nature, which though the opens daily such Mines and Treasures, yet is never like to be exhausted. The Art of Calcography has given to these Studies a new sort of Life and Perspicuity; the Beauty and Graces whereof, have drawn many Illustrious Persons abroad, into a kind of Emulation who should excel in this Noble and most useful Ornament: What the English want in this Part, they have made up in their Critical Methods in their Discoveries of *Non Descript Species*, and in their judicious References to the Synonymous Names of various Writers, whereby the terrible Vices of Confusion and Multiplicity have been very much corrected. For this I need name no more than a *Worthy Member of the Royal Society*, who has been pleas'd to shew such an admirable Skill and Talent this Way, as will hardly be match'd either in past, present, or future Ages.

The Authors of this Garden have here described and elegantly Figured above a Hundred several Plants, which take in order, with the Illustrations of many additional *Synonyma*, not mentioned by the Curious Publishers.

1. *Ranunculus Aethiopicus* foliis rigidis, floribus ex luteo virescentibus *H. Amst.* p. 1. Tab. 1. perelegans *D. Franqueville*, foliis aculeatis *Lob. illust.* 135. Imperatoria *Ranunculoides Africana* enneaphyllos, *Laserpitii* lobatis foliis rigidis margine spinosis *Pluk.* Tab. 95. Fig. 2. *Sphondillii Panacis* rigido hirtoque folio *Planta Africana*, caustica *P. B. P. Umbellifera urens* *Capitis bonæ spei Alm. Bot.* 198.

2. *Alcea Carpinii* folio *Americana* frutescens, flosculis luteis semine duplici rostro donato *H. Amst.* p. 3. Tab. 2. *Virginiana* *Carpini* folio flosculis minimis luteis semine duplici rostro s. aculeo predito *H. Ox.* 528. S. v. Tab. 35. Fig. ult. *Althea Virg.*

bidens *Pimpinellæ* majoris acutiore folio, flosculis minimis luteis *Pluk.* Tab. 9. Fig. 6.

3. *Chrysanthemum Americanum* caule alato, flore aphylo globofo Aurantio foliis *Baccharidis H. Amst.* p. 5. Tab. 3. cannabinum *Americanum* alatum fl. aphylo globofo aurantio *Baccharidis* foliis *Brey* pr. 2. *Ameri.* bidens alatum fl. parvo aurantiaco *Pluk.* Tab. 84. Fig. 3. *Conyzoides* caule alato *Curassavicum P. B. P.* *Conyz.* *Curass.* Abrotani fem. flore aurantio *ejusd. Sl. Cat. Plant. Jam.* 126.

4. *Portulaca Americana* latifolia erecta, floribus albis *H. Amst.* p. 7. Tab. 4. & *P. B. P.* affinis *Amer.* tricapsularis erecta fl. albo, pediculis angulosis *Pluk.* Tab. 105. Fig. 6.

5. *Portulaca Curassavica* angusto longo lucidoque folio procumbens, floribus rubris *H. Amst.* p. 9. Tab. 5. & *P. B. P. Alm. Bot.* 303. *Amer.* procumbens longo levique folio glauco, flore pulpureo pulchro *Anagallidis Breyn.* Prod. 2.

6. *Blattaria Zeylanica* flore amplo miniato *Cat. H. Amst.* Ceyl. fl. amplo coccineo *H. Ejusd.* p. 11. Tab. 6.

7. *Linaria Lusitanica* procumbens polygoni folio, fl. pallido ceruleo rictu. luteo *H. Amst.* p. 13. Tab. 7. & *Cat. ejusd.*

8. *Convolvulus Americanus* pilosus, fl. luteo, umbone purpureo *H. Amst.* p. 15. Tab. 8. *Africanus*, five *Guineensis* pumilis *Sagittæ* foliis fl. campanulato obsoleti luteo fundo purpurascens *H. Beam.*

9. *Ricinus Americanus* perennis, floribus purpureis, staphid. agriæ foliis *H. Amst.* p. 17. Tab. 9. *Indicus* pilosus trifidus vel quinquifidus flosculis atro purpureis in umbella aggregatis *Pluk.* Tab. 56. Fig. 2. *Brasilianus* perennis fl. purp. fol. Staph. nonnihil simili *P. B. P.* *Amer.* fol. Staphisagriæ *C. B.* 432, & 518. minor Staph. fol. fl. pentap. purpureo *Sl. Cat. Plant. Jam.* 41. *Wild Cassada Jamaicensibus.*

10. *Ricinus Tithymalodes Americanus* lactescens & urens floribus albis *H. Amst.* & *P. B. P.* lactescens *Fici* foliis spinulis mordacibus armatis *Pluk.* Tab. 220. Fig. 3. Frutex innominatus pungens & urens *Marcgr.* p. 79. Fig. *Brancamos* *Lusit.*

11. *Euphorbium Cerei* effigie caulibus crassioribus spinis validioribus armatum *Brey.* pr. 2.

12. *Euphorbium antiquorum verum H. Amst.* p. 23. Fig. 12. *Tithymalus Indicus* spinosus & angulosus lacte turgens acri *H. Beam.* T. aizoides triangularis nodosus & spinosus lacte turgens acri *Alm. Bot.* 370. *Schadida Calli H. Mal. V.* 2. Tab. 42. p. *Pada Nirvuli Bram. Sidera Calli Zeyl. Ray H. Pl.* 878. 13. *Ti-*

13. *Tithymalus Indicus* arborefcens fpinofus, Nerii folio *H. Amft.* p. 25. Tab. 13. Zeylanicus fpinofus arborefcens *P. B. P.* & Append. *Pluk.* Tab. 230. Fig. 4. Euphorbio & Tithymal. media affinis aizoides indica arb. fpinofa Nerii folio *Breyn.* Pr. 2. *Ela-calli* *H. Mal.* V. 2. Tab. 43. p. 83. *Nivuli* *Bram.* *Raii H. Pl.* 1888.

14. *Tithymalus Indicus* frutefcens *H. Amft.* p. 27. Tab. 14. & *Raii H. Pl.* 1710. ramosiffimus frutefcens penè aphyllus *P. B. P.* arborefcens caule aphyllus *Pluk.* Tab. 319. Fig. 6. aphyllus *Planta Mauritanica Imperati* 664. Fig. *Tiru-calli*, *H. Mal.* V. 2. Tab. 44. p. 85. *Portigalli vivuli* *Bram.*

15. *Tithymalus Arboreus Americanus* Cotini folio *H. Amft.* p. 29. Tab. 15. & *Cat. Ejusd.* Curaffavicus folio Cotini *Massinilia Sylvestris* *P. B. P.* Curaff. fol. Cotini triphyllos petalis flosculorum ferratis *Alm. Bot.* 369. *Pluk.* Tab. 230. Fig. 3. *Sirinamenfis* arborefcens Cotini f. *Coccigriae foliis* & facie *Breyn.* Pr. 2.

16. *Tithymalus Curaffavicus* Myrtifolius, flore papilionaceo coccineo parvo *H. Amft.* p. 31. Tab. 16. & *P. B. P. Pluk.* Tab. 230. Fig. 2. T. vel T. affinis f. fimilis aphyllus dictus, major indicus latifolius fl. Sanguineo aviculæ capitulum representante *Breyn.* Pr. 2. T. fimilis frutefcens Amer. Myrtifolius fl. difformi rubicundo *Cat. H. Amft.*

17. *Planta lactaria Africana* *H. Amft.* p. 33. Tab. 17. Tithymali fortè genus *Planta lactaria Africana* Pini fructuum facie *Breyn.* Pr. 2. an T. Æthiop. aphyllus verrucosus rad. tuberosa *H. Amft.*

18. *Alcea Bengalenfis* fpinofiffima Acetofæ fapores, fl. luteo pallido umbone purpurafcente *H. Amft.* p. 35. Tab. 18. fpin. *Madraspatana* foliis profunde laciniatis *Cannabis* in modum pentaphyllea faporis acidi *Pluk.* Tab. 5. Fig. 4. Indica fpinofa magno flore ex albido flavefcente *Com. in H. Mal.* A. Acetofa Indica fpinofa, foliis profunde laciniatis flore fubluteo amplo *Breyn.* Pr. 2. *Althea indica* fpinofa Acetofæ fapores fl. flavo pendente *P. B. P.* Zeylan. foliis afperis profunde laciniatis foliorum *Cannabis* inftar faporis acidi *H. Leyd.* p. 27. Acetofa indica *Bontii* p. 113. Fig. *Narinam-pulli* *H. Mal.* V. 6. Tab. 44. p. 75. *Ambetti* *Brach. Fula Gafinbola* *Lufit. Krabben doorn* Belg. *Nelta* *Hen. van Rheede. Raii H. Pl.* 1901.

19. *Alcea Americana* annua fl. albo maximo, fructu maximo pyramidali fulcato *H. Amft.* p. 37. Tab. 19. annua *Sirinamenfis*

mensis fl. amplo, fr. max. sulcato, striato pyramidali *Cat. H. Amst.* Brasiliæ fr. max. pyram. sulcato *Alm. Bot.* max. Malvæ Rosæ fol. fr. decagon. recto crassiore brevior esculento *Sl. Cat. Pl. Fam.* 98. Ochroa, Okkoro, & Kinkanbau Surinam. & Okra Jamaicensibus dicitur.

20. Cistus Ledon flore maculâ nigricante notato *H. Amst.* p. 39. Tab. 20. I. B. V. 2. L. 13. p. 8. Fig. *Chabr.* 97. C. Led. Laurinis foliis angustioribus fl. albo, unguiculis petalorum purpureis *Alm. Bot.* 101. Ladanifera Hispanica incana *CB.* 467. *Ray H. Pl.* 1009.

21. Oxys bulbosa Africana rotundifolia, caulibus & floribus purpureis amplis *H. Amst.* p. 41. Tab. 21. an bulb. Afr. rotund. fl. purp. amplo *Breyn.* Pr. 2 ? affinis Planta bulbosa Afric. fl. purp. magno *Ejusd.* Cent. c. 46. p. 102. Fig. Afr. fl. purp. magno rad. bulbosa *H. Leyd.*

22. Oxys bulbosa *Ethiopica* minor fol. cordato fl. ex albedo purpurascente *H. Amst.* p. 43. Tab. 22. an Afric. fol. & flore parvo albente rad. Asphœli *P. B. P.* Trifol. bulbosum fl. albo *Promont. bonæ spei* *Bod.* a Stapel in *Theophr.* 336.

23. Nerium latifol. *Indicum* fl. variegato odorato pleno *H. Amst.* p. 45. Tab. 25. & *H. Leyd. Ind.* fl. rubescente pleno *Breyn.* Pr. 2. Ind. Latifol. fl. rubro & aliquando variegato pleno *H. Beern. Fula mæstica* Zeylonens.

24. Flos Clitorius Fl. ceruleo pleno. Phaseolus *Indicus* Glycyrrhizæ foliis fl. amplo cæruleo pleno. *H. Amst.* 47. Tab. 24.

25. Phaseolus minimus perennis *Americanus* fl. luteo, foliis Afari lanuginosis solitariis *H. Amst.* p. 49. Fig. 25. & *Breyn. Fred.* 2. unifolius *Occidentalis* Afari venoso folio dispermos *Pluk.* Tab. 105. Fig. 1. Orobus *Americanus* Afari folio singulari *P. B. Pr.*

26. Senna spuria Occident. odore Opii viroso, fol. mucronatis glabris *H. Amst.* p. 51. & *H. Leyd. Sl. Cat. Plant. Fam.* 148. Orobus *Brasiliensis* fl. luteo *Pajomirioba* *Marcgr.* *Raii H. Pl.* 912.

27. Chamæcrista Pavonis major *H. Amst.* p. 53. Fig. 27.

28. Æschynomene spinosa latifolia sive Herba viva vel Mimosa latifolia piloso & subrotundo folio *H. Amst.* p. 55. T. 28.

29. Æschynomene fl. globoso albido siliculis articulatis echinatis *H. Amst.* p. 57. Fig. 29. an Mimosa spinosa 3. sive foliolis Acaciæ angustioribus siliquis parvis echinatis *Breyn. Cent.* p. 40. c. 18. Fig ?

30. Æschynomene spinosa 5, sive foliolis Acaciæ latioribus fron-

frondibus aculeos longissimos habentibus *H. Amst.* p. 59. Fig. 30. & *Breyn. Cent.* c. 20. p. 44. Fig.

31. *Ælchynomene mitis* 1. *H. Amst.* p. 61. Fig. 31. Wilde Dryve bonen *Curafs.*

32. *Tribulus terrestris Americanus* Chamæcisti flore, fructu spinoso maximo *H. Amst.* p. 63. Fig. 32. & *Breyn. Pr.* 2. ter. *Amer.* Argemones fl. flavo *Pluk.* Tab. 67. Fig. 4. ter. major *Curassavicus* P. B. *Pr. an.* ter. maj. fl. max. odorato *Sl. Cat. Plant. Jam.* 90?

33. *Orleana* sive *Orellana* folliculis lappaceis *H. Amst.* p. 65. Fig. 33. & *H. Leyd. Pluk.* Tab. 209. Fig. 4. *Sl. Cat. Plant. Jam.* 150. *Raii H. Pl.* 1771.

34. *Phalangium Ethiopicum* ramosum floribus albis petalis reflexis *H. Amst.* p. 67. Fig. 34.

35. *Lilium Zeylanicum* superbum *H. Amst.* p. 69. Fig. 35. *Mendoni H. Mal V.* 7. Tab. 57. p. 107. *Methonica Malab. Nienghala Zeylan. Pluk. Tab.* 116. Fig. 3.

36. *Lilio-Narcissus Africanus* platycaulis humilis flore purpureascente odorato *H. Amst.* p. 71. Fig. 36. an *Narcissus* major *Indicus* serotinus *Cornuti.* c. 57. p. 155?

37. *Lilio-Narcissus Ceylanicus* latifolius flore niveo, externe lineâ purpureâ striata *H. Amst.* p. 73. Fig. 37. maximus *Zeyl.* floribus albis umbellatis *Alm. Bot.* 219. *Lilium Zeyl.* umbelliferum floribus albis *H. Leyd. Tolabo Zeylan. Beluttâ pola-taly H. Mal. V.* 11. Tab. 38. p. 75.

38. *Narcissus Ceylanicus* fl. albo hexagono odorato *H. Amst.* p. 75. Fig. 38. & *H. Leyd.* *Lilio-Narcissus Indicus* fl. albo hexagono *Alm. Bot.* 220. *Lunula Zeyl. Catulli pola H. Mal. V.* 11. Tab. 40. p. 79.

39. *Narcissus Amboinensis* folio latissimo rotundo, floribus niveis inodoris *H. Amst.* p. 77. Fig. 39. an *Allium Amboinense* folio rotundo f. *Cepa sylv. Amboinensis Rumphii P. B. P?*

40. *Gratiolæ* affinis frutescens *Americana* foliis Agerati f. *Veronica erectæ* majoris *H. Amst.* p. 79. Fig. 40. & *Breyn. Pr.* 2. *Capraria Curassavica* Cahiritta vulgo. P. B. P. *Lysimachia purpureæ* affinis *Americana* procumbens *Anonidis vernæ* frutescentis foliis singulari glabro *Pluk.* Tab. 98. Fig. 4. *West India Chea. Sl. Cat. Plant. Jam.* 90.

41. *Gladiolo Ethiopico* similis, Planta angustifolia caule hirsuto, fl. rubicundissimo *H. Amst.* p. 81. Fig. 41.

42. *Sisynrichium Ethiopicum* majus latifolium, fl. albis hexapetalis

apetalis lineis purpureis striatis *H. Amst.* p. 83. Fig. 42.

43. *Silybriichium Ethiopicum* majus angustifolium fl. albis *H. Amst.* p. 84. Fig. 43.

44. *Silybriichium Ethiopicum* minus. latifolium fl. hexapetalo albo *H. Amst.* p. 84. Fig. 44.

45. *Amaranthus globulus Malabaricus* flore purpureo. affinis *Indiæ Orientalis* fl. glomeratis *Ocymoidis* folio *Breyn. Cent.* 1. p. 109. cap. 51 Fig. & *H. Amst.* p. 85. Fig. 45. *Amaranthoides Indicum* monospermum, foliis *Ocymastri* capitulis purpureis *P. B. P.* *Gnaphalio* affinis *Ocymastri* folio, flore ex purpureo violaceo *H. Bos.* & *Leyd.* *Wadapou H. Mal.* V. 10. Tab. 37. p. 73. *Gondo Bram.* *Wadambu Zeyl.* *Fulo Buton Malais.*

46. *Polygala arborea Myrtifolia* *Cap. Bonæ Spei*, fl. albis intus purpureis *H. Amst.* p. 87. Fig. 46.

47. *Angelica arborescens spinola* f. *Arbor Indica Fraxini* folio, cortice spinoso *Raii H. Pl.* 1798. *Christophoriana* arbor aculeata *Virginienfis* *Pluk.* Tab. 20. Fig. 1. *Arbor Spinosa Fraxini Foliis Virginiana* *D. Morgan Alm. Bot.* 98. & *H. Amst.* p. 89. Fig. 47.

48. *Aloe Succotrina angustifolia spinosa* fl. purpureo *Breyn. Pr.* 2. & *H. Amst.* p. 91. Fig. 48. *Americana Ananæ* foliis flor. suaverubentibus, ex *Codice Bentingiano* *Pluk.* Tab. 140. Fig. 4. *Indiæ Orientalis ferrata* f. *Succotrina vera* fl. phæniceis *H. Beam.* an *A. Amer. ferrata* fl. coccineis *P. B. Pr?*

49. *Aloe arborescens Africana* *H. Beam.* & *H. Amst.* p. 93. Fig. 49.

50. *Arum Ethiopicum* fl. albo odorato *H. Amst.* p. 95. Fig.

50. *Æth.* fl. albo odorato, *Moschum* redolente *H. Leyd. Afr.* fl. albo odorato *P. B. P.*

51. *Arum humile Ceylanicum* latifolium, pistillo coccineo *H. Amst.* p. 97. Fig. 51.

52. *Arum polyphyllum Ceylanicum*, caule scabro, viridi diluto, maculis albicantibus notato *H. Amst.* p. 99. Fig. 52. *A. polyphyllum Dracunculus* & *serpentaria dictum Ceylanicum* caule glabro viridi diluto, maculis albicantibus notatis, majus & elatius *Cat. H. Amst.* *Schæna H. Mal.* V. 11. Tab. 18. p. 35.

53. *Arum Ceylanicum*, polyphyllum, caule aspero, maculis viridi fuscis, viridi dilutis & albicantibus pulchre notato *H. Amst.* p. 101. Fig. 53. *A. Polyphyllum Dracunculus* & *serpentaria dictum Ceylanicum* caule aspero cum maculis viridi fuscis & viridi dilutis albicantibus pulchre notatum, majus & elatius *Cat.*

*H. Amst.*

*H. Amst.* an *A. polyph.* Dracont. & Serpent. dictum folio ramofo *Pæoniæ* instar caule aspero *Zeylanicum* P. B. Pr.

54. Balsamina Cucumerina *Indica* fructu majore flavescente *H. Amst.* p. 103. Fig. 54. B. Cuc. *Ceylanica* fructu flavescente *Cat. Hort. ejusd.* Cucumis puniceus *Indicus* major P. B. Pr. pun. *Zeylanic.* *H. Leyd.* major feminibus alb. *H. Leyd.* app. 663. pun. *Indic.* fr. majore ex flavo rubente *Com. Not. in H. Mal.* *Momordica Ceyl.* fr. Pyriformi majore ex flavo rubente sem. albis *H. Beam.* Pandi-Pavel *H. Mal.* V. 8. Tab. 9. p. 17. Valli carati *Bram.* Maragosa & Folhas Margoseira com fruita grande *Lusit.* Groot Bierblad. *Belg.* Poncleii *Benghal.*

55. Ficoides vel Ficus *Americana* sphaerica, tuberculata, lactescens fl. albo fructu rubro pyramidali *H. Bear.* & *H. Amst.* p. 105. Fig. 55. F. f. *Melocactos mamillaris* glabra, fulcis carens fructum suum undique fundens *Pluk.* Tab. 29. Fig. 1. Occidentale spinosum minus absque tomento *H. Leyd.* app. *Echinomelocactos* minor lactescens absque tomento cylindris strictioribus P. B. Pr. tuberosus, f. globularis minor ex *Hort. Fagel.* Sch. Bot. 33. *Opuntia Echinomelocacti* effigie tuberosa, fructu levissimo *Amethystino* *Breyn.* Pr. 2.

56. Ficus *Indica* f. *Opuntia Curassavica* minima *H. Beam.* & *H. Amst.* p. 107. Fig. 56. F. l. minima spinis brevissimis munita ex *Hort. Fagel.* Schol. Bot. 33. *Opuntia Americana* minima spinis creberrimis tenuissimis *Breyn.* Pr. 2. an minima *Indica* *H. Pisani*? Forte etiam Ficus. Ind. omnium minima, spinulis tenellis undique armata ex *Virginia* Alm. Bot. 147. The Pin-pillow.

57. Ananas *H. Amst.* p. 109. Fig. 57. & *Sl. Jam.* 77. *Pis.* p. 195. *Ger.* 1550. Fig. *Acost.* & *Linscotti* I. B. V. 3. L. 25. p. 95. Fig. *Chabr.* 356. & 57. Fig. A. fructus *Bontii* p. 145. Anana f. *Pina Park.* 1626. Fig. *Carduus Brasiliensis* foliis *Aloes* CB. 384. The Pine-Apple.

58. Palma Prunifera humilis non spinosa *Insulæ Hispaniolæ* fructu Jujubino similis, officulo triangulo *H. Amst.* p. 111. Fig. 58. an Palma *Americana* non spinosa crassis rigidisque foliis, caudice scabro in caput protuberante P. B. P? an P. *Amer.* foliis Polygonati brevioribus leviter serratis & nonnihil spinosis trunco crasso *Breyn.* Pr. 2? & *Pluk.* Tab. 103. Fig. 2. & Tab. 309. Fig. 5?

59. Cupressus *Virginiana* foliis *Acaciæ* deciduis *Raii* *H. Pl.* 1408. & *H. Amst.* p. 113. Fig. 59. *Virg.* fol. *Acaciæ* cornigeræ paribus & deciduis *Pluk.* Tab. 85. Fig. 6. *Virg.* foliis *Abietis* mol-



mollibus atq; deciduis *Breyn.* Pr. 2. & rectius *Abies Virg.* foliis mollibus *Mimosæ* atq; deciduis *Ejusd.* Cup. *Virg. H. Tradescant.* Virg. foliis *Acaciæ* deciduis *H. Leyd.* Tlatzcan f. *Cupressus Amer. fusa.* *Hern.* 98. (ex sent. *D. Pluk.*) & *Raii H. Pl.* 1933. Cap. 80. *Cupr. Amer.* an *Thuia Theophr.* Cupressus similis cujus fructus *Habbel* huic assimulatur *Park.* 1477. Fig.

60. *Manghala Arbor Curassavica* foliis salignis *P. B. P. & H. Amst.* p. 115. Fig. 60. Frutex innominatus 2 f. instar *Salicis pumilæ* foliis *Salignis Marcgr.* 76. Fig. *Salix Brasiliensis* 2da. capitulifera *Johnst. Dendr.* 446. Tab. 126. *Alnus maritima* *Myrtifolia* *Coriariorum* *Button-wood Bermudensibus* vulgò *Pluk.* Tab. 240. Fig. 3. *Alni* fructu *Laurifolia* arbor maritima *Sl. Cat. Plant. Fam.* 135. *Alno* affinis *Americana* *Ligustri* folio, fructu spicato rubro *Breyn.* Pr. 2. & *Pluk.* Tab. 128. Fig. 2. *Jamaica* *Button-Tree.*

61. *Nux Zeylanica* *Juglandis* folio *P. B. P. & H. Amst.* p. 117. Fig. 61. *Domba-Geddy Zeylan.*

62. *Ficus Bengalenfis* folio subrotundo, fructu orbiculato *H. Beam.* *Americana* latiori folio venoso ex *Curacao Pluk.* Tab. 178. Fig. 1. an *F. Indica* fol. oblongo obtuso fr. minore pallide luteo sphaerico *Sl. Cat. Plant. Fam.* 189. an *F. arbor Barbadosum* *Ligonis* p. 69. *Peralu H. Mal. V. 1.* Tab. 28. p. 49. *Vadhocè Bram.* *Pipal. Benghal.* *Ficus.* *Malabarensis* fol. crassiusculo, majori, fructu gemino intensè rubente *Com. not.*

63. *Gujava alba dulcis* *P. B. P. & H. Amst.* p. 121 Fig. 63. *alba acida* fr. rotundiori *Indiæ Orient.* *Pluk.* Tab. 193. Fig. 4. *Guayava* *Ger.* 1612. Fig. id. em. 1612. Fig. *Park.* 1634. Fig. *Indica* fructu mali facie *pulpa interiore alba* *L. B. Var. V. 1. L. 1.* p. 108. Fig. fals. & *Chabr.* *Var.* p. 5. Fig. fals. *Guajabo* pomifera *Indica pulpa candida* *CB. Var.* 437. & *Guajanos* in *Hilpania nova,* &c. *Ejusd.* 441 *Pela & Pelouka Mal. Pera Brach.* *Guajavas seu Peera Lust.* *Goejaves Belg. H. Mal. V. 3.* Tab. 34. p. 31. *The large white Guava.*

64. *Vitis Idea Æthiopica* *Myrti Tarentinæ* folio, flore atro purpureo *H. Amst.* p. 123. Fig. 64. an *Frutex Æthiopicus* baccifer foliis *Myrtilli* *Breyn. Cent.* p. 9. c. 5. Fig.

65. *Vitis Idea Æthiopica* *Buxi-minoris* folio, floribus albidis *H. Amst.* p. 125. Fig. 65. an *Frutex Æthiop.* baccifer fol. *Myrtilli* alter *Breyn. Cent.* p. 10?

66. *Amaranthus baccifer* *Circeæ* foliis *H. Amst.* p. 127. Fig. 66. bacc. *Indicus minor* *Circeæ* folio & facie *H. Beam.* 1. femine

femine & facie Americana foliis Circeæ P. B. P. & Helitropium Curassavicum Scammonii foliis mollibus subhirsutis *Ejusd.* Amer. majus foliis Populæ nigræ languinosis fl. albo minimo *Breyn.* Pr. 2. & Monophyllum Amer. Circeæ foliis & facie fl. albo parvo *Ejusd.* Pr. 2. Solanum racemosum Americanum minus *Sl. Cat. Plant. Fam.* 85. Barbadiense racemosum minus tinctorium Circeæ foliis mollibus & incanis *Pluk.* Tab. 112. Fig. 2. an Seconde plante guerissant le mal des dents Du Tetre p. 92 ?

67. *Malus Americana trifolia*, fructu pomi Aurantii instar colorato. *Arach Simmeron.* vulgò *H. Amst.* p. 129. Fig. 67. an *Anona trifolia*, flore stamineo, fructu Sphærico ferrugineo scabro minore Allii odore *Sl. Cat. Plant. Fam.* 205 ?

68. *Malus Americana Laurocerasi folio venenta*, *Mancinello* arbor seu *Massinilia* dicta *H. Amst.* p. 131. Fig. 68. Juglandi affinis arbor julifera lactescens venenata *Pyrifolia*, *Mancanilla* Hispan. dicta *Sl. Cat. Plant. Fam.* 129. *The Manchanceel Tree.*

69. *Anona H. Amst.* p. 133. Fig. 69.

70. *Malus Americana spinosa*, *Portulacæ folio*, fructu folioso, femine reniformi splendente *Blad-appel* vulgò. *H. Amst.* p. 135. Fig. 70.

71. Arbor Americana Cucurbitifera, folio longo mucronato, fructu oblongo *H. Amst.* p. 137. Fig. 71. A. Cucurb. folio longo mucronato s. Laurino *Raii H. Pl.* 1668. Cucurbitifera arbor Americana, folio longo mucronato fructu orbiculari, granis cordiformibus pulpa nigra involutis *Pluk.* Tab. 171. Fig. 1. Laurifolia Guineensis *CB* 461. Arbor folio Lauri fructu Cucurbitæ *L. B. V.* 1. L. 1. p. fol. Lauri ex Guinea *Chabr* 5. Fig. transpositâ.

72. *Sebestena domestica CB.* 446. & *H. Amst.* p. 139. Fig. 72. *Sebesten Park.* 252. Fig. *Seb. Myxa* sive *Myxaria Ger.* 1315. Fig. id. em. 1499. Fig. *Domestica Alp. Egypt.* 12. Fig. *Myxa domestica* s. *Sebesten IB.* V. 1. L. 2. p. 197. *Chabr.* 12. Fig. *Prunus Sebestena Mattheioli H. Lugd. & Pluk.* Tab. 217. Fig. 2. *The true Sebesten or Assyrian Plumb.*

73. *Jujube Americana spinosa*, *Loti arboris foliis & facie*, fructu rotundo parvo dulci *H. Beaum. & H. Amst.* p. 141. Fig. 73. *Leguana-ria* vulgò seu Arbor Arabica spinosa foliis & facie *Loti arboris P. B. P.* an *I. f. Zizyphus* Afric. mucronatis foliis spinâ gemellâ *Pluk.* Tab. 197. Fig. 3.

74. *Prunus Javanica Atriplicis foliis Kakoufa Javanensibus H. Beaum. & H. Amst.* p. 143. Fig. 74. an Elemnifera Curassavica arbor *P. B. P. ? & Pluk.* Tab. 173. Fig. 5 ?

75. *Cerasus Jamaicensis fructu tetrapyreno H. Amst.* 145. Curassavica

rassavica fr. tetrap. *Scimmeraka* Curafs. *P.B.P.* & *H. Beaum. Simmerouke* Indiginis. Amer. Myrti conjugatis foliis fructu acerbo tetrapylene *Pluk.* Tab. 157. Fig. 4. an Arbor baccifera, folio subrotundo, fructu cerasino fulcato rubro polypyreno, officulis canulatis *Sl. Cat. Plant. Jam.* 172?

76. *Azadirachta Indica* foliis ramosis minoribus, fl. albo subceruleo purpurascente majore *Breyn.* Pr. 2. & *H. Amst.* p. 147. Fig. 76. *Azedarach* floribus albis sempervirens *H. Leyd.* app. *Indica* foliis non deciduis officulo polypyreno. *P.B.P.*

77. *Terebinthus Americana* polyphilla *P.B.P.* & *H. Amst.* p. 149. Fig. 77. *Palamalatta* dictum *Pluk.* Tab. 228. Fig. 6. an major, Betulæ cortice, fructu triangulari *Sl. Cat. Plant. Jam.* 167?

78. *Viburnum Americanum* *Urticæ* foliis *Lamii* odore, floribus miniatis. *H. Amst.* p. 153. Fig. 78. Amer. non spinosum *Melissæ* foliis floribus coccineis *P. B. P. Pluk.* Tab. 114. Fig. 4. Amer. odoratum fol. *Urticæ* fl. miniatis *H. Leyd.* app. *Pseudo-viburnum* Americ. Rivini 21. *Periclymenum rectum* *Urticæ* folio fl. coccineo amplo *Sl. Cat. Plant. Jam.* 164. *Camara* fl. rubro *Mercgr.* 5. *Camara-juba* *Pis.* ed. 48. p. 86. *Camaratinga* *Ejusd.* ed. 58. p. 176.

79. *Mespilus Americana* *Laurifolia*, glabro fructu rubro mucilaginoso *H. Amst.* p. 153. Fig. 79. *Calabura rubra* foliis *Laurinis* *P.B.P.* & *Pluk.* Tab. 326. Fig. 5.

80. *Mespilus Americana* *Alni* vel *Coryli* foliis, fructu mucaginoso albo *H. Amst.* p. 155. Fig. 80. *Calabura alba* *P.B.P.* & *Pluk.* Tab. 152 Fig. 4. & Tab. 326. Fig. 4.

81. *Rhus Virginianum* foliis Myrti *H. Amst.* p. 157. Fig. 81.

82. *Jasminum Azoricum* trifoliatum, flore albo odoratissimo *H. Amst.* p. 159. Fig. 82. *Az. fl. albo* *Virid. Lusit.* Amer. trifol. odoratissimum fl. albo *H. Leyd.* app. an alb. trifoliatum fl. magno ex *Infula Maderensi* *Pluk.* Tab. 303. Fig. 1.

83. *Lycio* similis frutex *Indicus* spinosus buxi folio *Breyn.* Pr. 2. & *H. Amst.* p. 161. Fig. 83. an *Ebenus Jamaicensis* *Arbucula Buxi* foliis spinosa, fl. luteo (papilionaceo siliquifera) *Pluk.* Tab. 89. Fig. 1? an *Aspalathus arboreus* f. *Pseudo-Ebenus Buxifolio* fl. luteo parvulo, siliquâ latâ brevi chartaceâ, semen exiguum reniforme completente *Sl. Cat. Plant. Jam.* 140?

84. *Lycium Æthiopicum* *Pyracanthæ* folio *H. Amst.* p. 163. Fig. 84.

85. *Ulmifacie* arbuscula *Æthiopica* ramulis alatis, floribus purpurascens *H. Beaum.* & *H. Amst.* p. 165. Fig. 85. *U. arbor Curassavica* *P.B.P.* *Ulmifolia* arbor *Africana* baccifera floribus purpureis *Pluk.* Tab. 237. Fig. 1. *Lycium Africanum* non spinosum *Ulmifacie*, floribus speciosis *Alm. Bot.* 393.

86. *Evo-*

86. *Evonymus Novi Belgii*, Corni feminae foliis *H. Amst.* p. 167. Fig. 86. an Jujubinis foliis *Carolinensis* fructu parvo ferè umbellato *Pluk.* Tab. 28. Fig. 6?

87. *Evonymus Virginiana* Ribesii folio, capsulis eleganter bullatis *H. Amst.* p. 169. Fig. 87. Anonymos Ribesii foliis *Icon. Roberti. Raii H. Pl.* 1708: Americ. Ribesii foliis, umbellatâ *Melanthi* capsulâ minore *Alm. Bot.* *Spirea Opuli* folio *El. Bot.* 490.

88. *Guajacum Americanum* *Lentisci* fol. *H. Amst.* 171. Fig. 88. fol. *Lentisci* Hort. *Fagel Breyn.* Pr. 2. Amer. alterum fructu *Evonymi Ejusd.* Pr. 2. *Jasminum* vulgò *Americanum* at *rectius* *Evonymo* adfinis *Occidentalis* alatis *Rusci* foliis *Nucifera*, cortice ad genicula fungoso. *Pluk.* Tab. 94. Fig. 4. *Pockhout* Belgis.

89. *Arbor Brasiliæ* *Myrti Laureæ* foliis inodoris *H. Amst.* p. 173. Fig. 89.

90. *Arbor Baccifera Indica*, foliis majoribus splendentibus flore pentapetalo *H. Amst.* p. 175. Fig. 90.

91. *Frutex Æthiopicus* *Portulacæ* folio, flore ex albedo virescente *H. Amst.* p. 977. Fig. 91.

92. *Rhus Africanum* trifoliatum majus, foliis subrüs argenteis acutis & margine incisfis *Pluk.* Tab. 219. Fig. 6. Synonima hujus *Horti* male adnectuntur.

93. *Rhus Afric.* trifoliatum majus, fol. furcundo glabro splendente nob. est varietas major ultimæ speciei *Alm. Bot.* 319. Hic Figuratur p. 181. Cap. 93. sub nomine *Vitis trifoliæ Indicæ rotundifoliæ*, sed minus rectè cum ceteris cognominibus.

94. *Nux Americana* foliis alatis bifidis *H. Beaum. & H. Amst.* p. 183. Fig.

94. N. A. costâ foliorum appendicibus aucta *Pluk.* Tab. 207. Fig. 4. *Knippa & Tackboom* P. B. P.

95. *Arbor Camphorifera Japonica* *Breyn.* Cent. p. 11. & pr. 1. A. C. *Jap.* foliis *Laurinis* fructu parvo globoso calyce brevissimo *Ejusd.* Pr. 2. & *H. Amst.* p. 185. Fig. 95. *Camphora Park.* 1675. *Officinarum* C.B. 500. *Camphorifera* arbor, ex qua *Camphora* *Officinarum* *H. Leyd.*

96. *Staphylodendron Africanum* sempervirens foliis splendentibus *Cat. Hort. Amst.* & *H. Ejusd.* p. 187. Fig. 96. *Afric.* folio lucido P.B.P. *Pistachia Africana* s. *Staphylodendron Æthiopicum* *Μονολασιον αλληλομανοφυλλον* singulari hirsuto folio nitente *Pluk.* Tab. 63. Fig. & Tab. 317. Fig. 5. *Arbor* quædam rarissima lucens, fructibus *Halicacabi* *Breyn.* Cent. p. 177. & *Halicacabum* arborefcens *Ejusd.* 180.

97. *Arbor Virginiana*, *Citriæ* vel *Limoniz* folio *Benzoinum* fundens *H. Amst.* p. 189. Fig. 97. A. *Virg.* *Pisaminis* folio baccata *Benzoinum* redolens *Pluk.* Tab. 139. Fig. 3, & 4. *Arbor Benzoinifera* *Breyn.* Pr. 2.

98. *Stryax* arbor *Virginiana* *Aceris* folio, potiùs *Platanus Virginiana* *Styracem* fundens *Ray H. Pl.* 1799. & *H. Amst.* p. 191. sed *Figura & descriptio* hujus *Horti* aliam plantam potiùs representare videntur, nimirum *Acerem Virg.* folio majore subrüs argenteo supra viridi splendente *Pluk.* Tab. 2. Fig. 4. quæ *Acer flofcens Virginiana* vulgò dicitur.

99. *Apocyno* affinis *Portoricensis* folio *Haftæ* cuspidi simili *H. Amst.* p. 193. Fig. 99. A. *Portoric.* frutescens foliis crassis *haftæ* cuspidi similibus *H. Beaum. & Pluk.* Tab. 137. Fig. 6. *Tithymalus Portoric.* fol. crassis *haftæ* cuspidi simili P.B.P.

100. *Laurifolia Africana* H. Amst. p. 195. Fig. 100. *Swarte-Bast* apud Belg.  
245 *Promontorii Bonæ spei.*

101. *Sideroxylum Africanum* Cerasi folio H. Amst. p. 197. Fig. 101. an  
S. Afr. f. *Lignum ferreâ* duritie folio oblongo P.B.P. *Lignum ferreum* vulgo.  
*Ejusd.*

102. *Phyllanthos Americana* planta, flores è singulis foliorum crenis profere-  
rens P.B.P. & H. Amst. p. 199. Fig. 102. H. Beaum. Amer. angustiori & longi-  
ori folio ramosa caulescens Pluk. Tab. 247. Fig. 4. *Lonchitidi* affinis arbor ano-  
mala folio alatoè pinnarum crenis fructifero St. Cat. Plant. Jam. 16. Hippo-  
glossio fortè cognata Surinamenfis foliis Oleandri serratis, in crenarum extre-  
mo stilescentes perminutos sanguineos gerentibus vel forte *Hemionitidi* affinis  
Breyn. Pr. 2. an H. aff. Amer. epiphyllanthos folio simpliciter pinnato Hippoglossi  
amulo, radice reptatrice lignosa ad foliorum crenas florida Pluk. Tab. 36. Fig. 7 ?

103. *Erythroxyllum Japonicum* non spinosum Corenillæ folio H. Amst. p.  
201. Fig. 103. *Japansche Blom-boom* Belg.

104. *Corallinum lignum* P.B.P. Pluk. Tab. 169. Fig. 1. seu erythroxyllum  
*Americanum*, Glycyrrhizæ folio, floribus ex luteo & rubro variegatis siliquâ  
latissimâ H. Amst. p. 203. Fig. 104. Glycyrrhiza vel (si mavis) Glycyrrhizæ  
affinis arborelscens *Americana*, floribus ex luteo & rubro variegatis folio acu-  
minato siliquâ latissimâ Breyn. Pr. 2. *Corallen hout* Belg.

105. *Acacia Javanica* sulcata, caule & foliorum cottis spinosis H. Beaum.  
& H. Amst. p. 205. Fig. 105. Durii spinge ricat *Malaisi* & *Javanensibus*.

106. *Acacia Javanica* non spinosa foliis maximis splendentibus H. Amst.  
p. 207. Fig. 106. Hert. Beaum. & Pluk. Tab. 123. Fig. 3. *Caduwang*. *Javan.*

107. *Acaciæ* similis spinis corniformibus *Mexiocana* Breyn. Pr. 2. & H. Amst.  
p. 209. Fig. 107.

108. *Coral arbor Americana* H. Amst. p. 211. Fig. 108. Spinosa occiden-  
talis fructu intensius rubente P.B.P. *Coral arbor Lusitanica* vulgò *Ejusd.* *Arbor*  
*Corallii Ferrar.* flor. p. 380.

109. *Draco arbor Indica* siliquosa Popali folio *Angsana* vel *Angsava* Javan-  
ica H. Amst. p. 213. Fig. 109. describitur in *Ephemer. German.* Ann. 13. Obf. 37.

110. *Cassia fistula Alexandrina* CB. 403. & H. Amst. p. 215. Fig. 113. *Raii*  
H. Pl. 1746. & St. Cat. Plant. Jam. 145.

111. *Cassia fistula Javanica* fl. carneo. H. Amst. p. 217. Fig. 111. *Indica*  
fl. carneo *Clar. Sebastiani Jagerii* Breyn. Pr. 2.

112. *Nux Been Ceylanica* siliquâ triangulâ seminibus alatis H. Leyd. app.  
*Balanus Myrepica* siliqua triangulari semine minore alato Breyn. Pr. 2. *Mor-*  
*ringa Lentisci* folio fructu magno anguloso in quo *Semina Ervi* IB. V. 1. L. 12.  
p. 435. *Moringa* H. Mai. V. 6. Tab. 11. p. 19. *Lusit. Belg. & Acoft.* *Katu*  
*Mungba Zeylan.* *Arbor exotica Lentisci* folio CB. 399. *Glans Unguentaria* *Jenst.*  
*Dendr.* p. 130. Tab. 43. Fig.